GOVERNMENT OF TELANGANA ABSTRACT

HM&FW Department – Direct Recruitment to the post of Lab Technician Gr.II in TVVP, DPH&FW and DME Subordinate Services – Notification issued by the TSPSC vide No.67, dt:18.12.2017 – Admission of candidates with additional qualifications – Permitted - Orders – Issued.

HEALTH, MEDICAL AND FAMILY WELFARE (B1) DEPARTMENT

G.O.Rt.No. 88 Dated: 15-02-2018
Read the following:-

- 1. G.O.Ms.No.282. G.A.(Ser.A) Dept., dt:20.9.2003
- 2. G.O.Ms.No.166, HM &FW(B1) Dept., dt:09.9.2017.
- 3. From the TSPSC, Hyd. Notification No.67, dt:18.12.2017.
- 4. From the DPH&FW, Hyd. Lr.No.11708/E4.C/2017, dt:03.2.2018.
- 5. Orders of the Hon'ble High Court of Judicature at Hyderabad for the State of Telangana and State of Andhra Pradesh, dt:07.2.2018.

ORDER:

In the reference 2nd read above Government have issued orders in relaxation of Rule 9 (b) of the State and Subordinate Service Rules, 1996, wherein at para 4 (II), the qualifications to the post of Lab Technician Grade-II has been prescribed as:

- i. Intermediate
- ii. DMLT or B.Sc (MLT) from recognised University
- iii. Must be registered with the Para-Medical Board AP/TS.
- 2. Based on the orders issued in the reference 2nd read above, TSPSC has issued notification No. 67, dt:18.12.2017 for recruitment of Lab Technician Grade II posts with qualifications as shown in para-1 above. Aggrieved by the order of the Government and notification of TSPSC, certain candidates have approached the Hon'ble High Court of Judicature at Hyderabad for the State of Telangana and State of Andhra Pradesh, praying for "to include P.G. Diploma in Clinical Bio Chemistry/ Intermediate Vocational Course (MLT) as the required qualifications to the post of Lab Technician Gr.II. The Hon'ble High Court of Judicature at Hyderabad for the State of Telangana and State of Andhra Pradesh issued orders dt:07.02.2018 in WA No.188/18 in W.P.No.1917 that "take a decision as to whether the grievance of the appellants can be considered and whether they can be allowed to participate in the selection process pursuant to Notification No.67 of 2017 dated.18.12.2017 and communicate the decision taken, to the appellants on the very same day".
- 3. In the reference 4th read above, the Director, Public Health have reported that it is necessary to issue amendment to service rules of lab technician Gr.II, duly making all 12 courses approved by Para-medical Board namely:
 - 1. Certificate in Laboratory Technician Course
 - 2. MLT (VOC)/Intermediate (MLT-Vocational) with one year clinical training or apprenticeship training.
 - 3. Diploma in Medical Lab Technician Course (DMLT).
 - 4. B.Sc (MLT)/M.Sc (MLT).
 - 5. Diploma in Medical Lab (Clinical Pathology) Technician Course.
 - 6. Bachelor in Medical Laboratory Technology (BMLT).
 - 7. P.G. Diploma in Medical Laboratory Technology.
 - 8. P.G. Diploma in Clinical Bio Chemistry.
 - 9. B.Sc (Micro Biology)/M.Sc in Micro Biology
 - 10. M.Sc in Medical Bio Chemistry
 - 11. M.Sc in Clinical Micro Biology
 - 12. M.Sc in Bio Chemistry

to be eligible for Lab Technician Grade - II.

4. In the circumstances detailed above, Government after careful consideration and in compliance of orders of Hon'ble High Court of Judicature at Hyderabad for the State of Telangana and State of Andhra Pradesh dt:07.2.2018, hereby orders that the courses mentioned at para-3 above shall also be the qualifications for the post of Lab Technician Grade – II in addition to the qualifications prescribed in the G.O. 2nd read above.

5. Accordingly, the TSPSC is requested to take necessary action.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA) A.SANTHI KUMARI PRINCIPAL SECRETARY TO GOVERNMENT

To

The Secretary, Telangana State Public Service Commission, Hyderabad.

Copy to:

The Commissioner of Health & Family Welfare, Telangana, Hyderabad The Director of Public Health & Family Welfare, Telangana, Hyderabad The Director of Medical Education, Telangana, Hyderabad The Commissioner, Telangana Vaidya Vidhana Parishad, Hyderabad SF/SC.

//FORWARDED :: BY ORDER //

SECTION OFFICER